
# Vaccination & Disinfection

PROFESSIONAL LINE OF SPRAYERS FOR VETERINARY USE







## Vaccination & Disinfection

PROFESSIONAL LINE OF SPRAYERS FOR VETERINARY USE



In modern poultry farming, technical changes are constantly taking place, new standards for poultry rearing are being introduced, new vaccinations and vaccination programs for various diseases are being launched.

TO MEET THESE TRENDS, VOLPI HAS SPECIFICALLY DEVELOPED AND OFFERS A WIDE RANGE OF SPRAYING EQUIPMENT FOR VARIOUS APPLICATIONS, INCLUDING VACCINATION AND DISINFECTION IN POULTRY FARMS AND LIVESTOCK FARMS. A PROFESSIONAL LINE OF SPRAYERS FOR VACCINATION, CHARACTERIZED BY THE BRAND VOLPI ORIGINALE.

The technical features of these sprayers and equipment guarantee that the tasks provided for group vaccination of poultry in poultry farms are performed in the required mode, with the possibility to control aerosol particles and the pressure level in the spraying system, at any time. Sprayers provide surgical treatment and prevention of diseases of livestock of poultry during industrial breeding, veterinary vaccinations and treatments, including the prevention of coccidiosis, infectious bronchitis, rhinotracheitis, pneumoviruses, Newcastle disease and many other diseases of poultry and animals. This range includes both, manual and battery powered sprayers. In order to simplify operation and control, sprayers are equipped with a telescopic lance, pressure regulator, pressure gauge and dual nozzle holder, with a set of special interchangeable nozzles, for more rational and proper spraying of vaccines and drugs. Vaccination sprayers are made of high density polyethylene, with special gaskets and accessories required for this procedure. Disinfection sprayers are characterized by the specific certificate ISO 9001:2015.

VOLPITECH industrial line with white tanks and FPM (fluororubber) seals, which are especially suitable for spraying solutions containing hard chemicals, with higher resistance rather than normal rubber seals. These sprayers are widely used in the field of veterinary medicine, guaranteeing full compliance with all required standards of sanitation and hygiene, as well as in the field of crop production for pest control.

Tanks and components of these sprayers are made out of especially durable materials that can withstand work with acids and alkalis.

All VOLPI ORIGINALE production comply with the procedures established and guaranteed by the quality



# Vaccination SPRAYERS

#### UNI **PLASTIC PUMP**



#### Knapsack sprayer for veterinary vaccination

- Tank capacity 15 LTHD Polyethylene tank
- Plastic pump with hydraulic agitator
- Max pressure 6 bar
- Pressure regulator (1-2-3 bar)

- Pressure gauge
  Right- or Left-handed pump
  Adjustable shoulder straps with soft supports.
- NBR gaskets1.2 m flexible hose

- Telescopic brass lance (55-100 cm)
  Double nozzle holder, kit of special nozzles (115, 150, 240 micron)
- Net weight 3.6 kg approx.
- Suitable for veterinary vaccination

CODE	MODEL	PACK QUAN.	
78PVET	With telescopic lance and double nozzle holder kit + nozzles	1	







Dim: 45 x 19 x 58 cm PC Weight: 4,1 kg







## **ELETTROLITHIUM**

Tank capacity 15 LT
HD polyethylene anatomical tank
Extractable filter inside the tank
Adjustable shoulder straps with padding

• High performance stainless steel electric piston pump with sphere valves

• Rechargeable 12v 8Ah Lithium battery

and soft back pad

Low battery indicator

Pressure regulator

Battery chargerIntegrated electronic control

• Pressure from 0.5 to 10 bar Hydraulic mixing system • 1.5 m flexible hose

 Sturdy and ergonomic handle with pressure gauge with protection

Net weight 6 kg approx.Suitable for veterinary vaccination

Electric knapsack sprayer with rechargeable

12V lithium battery for veterinary vaccination





#### **RECORD PLASTIC PUMP**

#### Knapsack sprayer for veterinary vaccination

- Tank capacity 20 LT
- HD Polyethylene tank
- High volume plastic pump with hydraulic agitator
- Max pressure 6 bar
- Pressure regulator (1-2-3 bar)

- Pressure gauge
  Right- or Left-handed pump
  Adjustable shoulder straps with soft supports.
- NBR gaskets1.5 m flexible hose
- Telescopic brass lance (55-100 cm)
  Double nozzle holder, kit of special nozzles (115, 150, 240 micron)
- Net weight 3.9 kg approx.Suitable for veterinary vaccination

#### MODEL PACK QUAN. CODE With telescopic lance 95PVET and double nozzle holder kit + nozzle:







#### MODEL PACK QUAN. CODE With telescopic lance 22PTEVET and double nozzle holder kit + nozzles





Dim: 44 x 21 x 56 cm PC Weight: 6,1 kg



30



# Vaccination SPRAYERS

### **850 VET ELECTRIC SYSTEM**

#### Electric engine wheelbarrow for vaccination of poultry

- Tank capacity 50 lt
- Steel frame with 4 wheels
- HD polyethylene tank with drain cap
- Two steel bars with 6 adjustable nozzle holders
- Pressure gauge and flow control valves

- Fressure gauge and now control valves
  Electric diaphragm pump
  Rechargeable 12V battery 44 Ah.
  Auonomy of 5-6 hours, depending on use of nozzles
  Battery charging indicator
  On-Off switch

- Pump max pressure 9 bars
- Working pressure 4-6 bars
- Pump max flow rate 5,7 I/min
- Grey nozzle: Coarse droplet size at 4 bars working pressure
  Black nozzle: Fine droplet size at 6 bars working pressure
- Different types of nozzles for each vaccination
- Net weight 80 kg
- Suitable for veterinary vaccination (chicken)
- Productivity of vaccination of 25,000 hens in half an hour

CODE	MODEL	PACK QUAN.
850VET	50I wheelbarrow for application by spray-on of vaccines against various diseases in laying hens	1









## Disinfection SPRAYERS

## **VOLPITECH 3**



#### Compression sprayer with FPM gaskets for veterinary disinfection

- Total tank capacity 2 LT
  Operating capacity 1.8 LT
  HD polyethylene tank
  Pressure 2 bar
  Adjustable PP nozzle
  Special FPM gaskets

- Pressure discharge valve
  Net weight 0.43 kg approx.
  Suitable for veterinary disinfection

	CODE	MODEL	PACK QUAN.
	VT3	2 lt compression sprayer with FPM gaskets adjustable PP nozzle and discharge valve	10
	3346PV	Flexible extension 26 cm with PP nozzle	1





10 Dim: 38 x 32 x 48 cm PC





## **VOLPITECH 6**

#### Compression sprayer with FPM gaskets for veterinary disinfection

- Total tank capacity 6.6 LT
- Operating capacity 6 LT
   HD polyethylene tank
- Plastic pumpPressure 3 bar
- Adjustable shoulder strap and handle.
  Special FPM gaskets
- 1.2 m flexible hose
- Lance with steerable polypropylene nozzle
- Pressure discharge valve
- Net weight 1,5 kg approx.Suitable for veterinary disinfection

CODE	MODEL	PACK QUAN.
VT621	6 It compression sprayer with FPM gaskets with nylon lance and steerable nozzle	1









# Disinfection SPRAYERS

## **VOLPITECH 7**



#### Battery sprayer with FPM gaskets for veterinary disinfection

- Total tank capacity 7 LT
- HD polypropylene tank
  Electric head with diaphragm pump and rechargeable lithium battery 7,4V 2,6A integrated
- Pressure 3 bar
- Adjustable shoulder strap and handle.
- Special FPM gaskets1.2 m flexible hose
- Lance with steerable polypropylene nozzle
  Net weight 2 kg approx.
- Suitable for veterinary disinfection













#### 7 It battery sprayer with FPM gaskets with VT7 nylon lance and steerable nozzle


MODEL

## **VOLPITECH 10**



PACK QUAN.





- Total tank capacity 10.8 LT
- Operating capacity 10 LTHD polyethylene tank
- Plastic pump
- Pressure 3 bar
- Adjustable shoulder strap and handle.
  Special FPM gaskets
  1.2 m flexible hose

- Lance with steerable polypropylene nozzle
- Pressure discharge valve
- Net weight 2.5 kg approx.
  Also available with manometer
- Suitable for veterinary disinfection

CODE	MODEL	PACK QUAN.
VT10	10 It compression sprayer with FPM gaskets with nylon lance and steerable nozzle	1









## **VOLPITECH 12**

#### Knapsack sprayer with FPM gaskets for veterinary disinfection

- Total tank capacity 12 LT
- HD polyethylene tankPlastic pump with hydraulic agitator
- Pressure 6 bar
- Right- or Left-handed pumpAdjustable shoulder straps
- Special FPM gaskets • 1.2 m flexible hose
- Lance with steerable polypropylene nozzle
  Net weight 3.5 kg approx.
  Suitable for veterinary disinfection



CODE	MODEL	PACK QUAN.
VT12	12 lt knapsack sprayer with FPM gaskets with nylon lance and steerable nozzle	1






Dim: 45 x 15 x 58 cm PC Weight: 4 kg







## **Disinfection SPRAYERS**

### **744** vic

**744** MOC





#### 120 L wheelbarrow with 4 stroke combustion motor 5 HP

for veterinary disinfection

- HD Polyethylene tank 120 lt equipped with emptying cap
   Tube-shaped frame
- with removable hand and aspiration filter
- Upper cap with filter
- Pump AR252 with RATO compostion motor R210 4 stroke 5 HP
- High pressure hose 10x17; 40 bar, 50m
- Steerable lance with handle for high pressure, 65 cm approx. with Ø 1,5 nozzle





Wheelbarrow with single phase electric motor 1,5 HP 230V for veterinary disinfection

- HD Polyethylene tank 120 lt equipped with emptying cap
   Tube-shaped frame
- with removable hand and aspiration filter
- Upper cap with filter Pump AR252 with single phase electric motor 230V 1,5 HP
- High pressure hose
- 10x17; 40 bar, 50m Steerable lance with handle for high pressure, 65 cm approx. with Ø 1,5 nozzle





Dim: 51 x 28 x 37 cm Weight: 19,7 kg



## **DINAMICA**





- HD polyethylene anatomic frame
  5 position powder regulator lever
- Mechanical mixing system
- Optimal weight distribution
  Adjustable soft shoulder straps
- Peak air flow rate 28 l/s
- Centrifugal impeller with powder falling vertically

with rechargeable 12V lithium battery

- Delivery hose
- Electric motor
- Extension pole
- Technical housing separate from machine body
- Powder spreader
- Rechargeable 12 V 8Ah Lithium battery
- Battery charger
- Net weight 8 kg approx.
- Suitable for distributing powder in veterinary disinfection

CODE	MODEL	PACK QUAN.
SVE	Electric knapsack duster for distribution of powder products for disinfection	1







Dim: 45 x 36 x 64 cm PC Weight: 8,2 kg



15





PROFESSIONAL LINE OF SPRAYERS FOR VETERINARY USE







©2023 Diritti riservati alla Davide e Luigi Volpi SpA

AZIENDA A GESTIONE CERTIFICATA DA ICIM UNI EN ISO 9001:2015 COMPANY WITH QUALITY SYSTEM MANAGEMENT

COMPANY WITH QUALITY SYSTEM MANAGEMENT CERTIFIED BY ICIM UNI EN ISO 9001:2015

> Via San Rocco, 10 46040 Casalromano (MN) Italia Tel. +39 0376 76009 - Fax +39 0376 76408 info@volpioriginale.it