

TECHNICAL DATASHEET

KNAPSACK BATTERY SPRAYER 12Lt V-BLACK "VITA 12"

WITH RECHARGEABLE LITHIUM BATTERY

COD. 23VBE12

v.black
VITA



Tank capacity	12 Lt
Tank material	Polypropylene
Sprayable Liters for each battery charge	With pressure 2,0 bar – up to 95 liters
	With pressure 5,0 bar – up to 75 liters
Rechargeable lithium battery	14,4 Vdc 2,0 Ah 28,8 Wh
Nozzles supplied	Adjustable brass nozzle for spraying
Electronic pressure regulator	Adjustable working pressure 0,5 ÷ 5 bar 7,25 ÷ 72,5 psi
Pressure control	Electronic board with voltage control that maintains constant pressure throughout battery life
Battery charge control	Led
Lance	65cm anodized aluminum
Screw cap with lance holder	Standard
Padded shoulder straps	Standard
Battery charger	1,0 A – 18W
Gaskets	NBR (high pressure - resistance to mineral oils and greases)
Pump	High performance diaphragm pump
Delivery hose lenght	1,2 mt
Filling diameter in cm	10,5
Temperature min. / max.	5° C / 40° C
Dimensions in cm	22x36x51
Weight (empty) sprayer w/ battery in Kg	3,1 Kg

ADJUSTABLE BRASS NOZZLE FOR SPRAYING (cod. 928)		
PRESSURE bar	DELIVERY CAPACITY Lt / min	Sprayable Liters for each battery charge
5,0	0,60	75
4,0	0,54	85
3,0	0,49	90
2,0	0,44	95

SPRAYER WITH TROLLEY



Cod. 20CPE



Cod. 25CARK2




SPRAYER WITH TROLLEY AND SPRAY BOOM



Cod. 20CPE



Cod. 25CARK1



Additional button kit for quick spray boom
ignition directly from trolley handle
(Included in 25CARK1 kit)



Extra outlet

25CARK2

For spray boom connection on trolley
(included in kit 25CARK1)

2mt spray hose kit for battery sprayers

Spray boom kit (cod. 25CARK1)

Adjustable height- Maximum width 130 cm- No.4 fan
nozzles and 100 mesh filter.

Trolley (cod. 20CPE)

Complete kit with support and power button
Painted steel frame - Sprayer locking system - Spray
boom connectors - Wheels suitable for rough terrain

Pack. dimensions 20CPE in cm

56x30x18

Pack. dimensions 25CARK1 in cm

60x25x12

Pack. dimensions 25CARK2 in cm

28x25x14

CLEANING: wash the tank after every use with clean water.

**IMPORTANT: CAREFULLY FOLLOW THE INDICATIONS FOR USE REPORTED INTO THE USER'S
MANUAL.**